APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office		
Corrected application filed	Map filed AUG 0 5 1992	
The applicant Washoe County		
P. O. Box 11130	of Reno : City or Town	
	hereby make. application for permission to change the	
Point of Diversion of a po		
water heretofore appropriated under	Foint of diversion, manner of use, and/or place of use 53247 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and	
entify right in Decree.		
1. The source of water is	Underground Name of stream, lake, underground spring or other source.	
. The amount of water to be changed	0 - 5 -	
. The water to be used for	Mars 2 - 2 1	
. The water heretofore permitted for		
distance to a section corner. If on unsurveyed land, S 2° 36′ 31″ W. a distance	of 4453.21 feet.	
	sion is located within. Lt 8 Section 16, T.19N., R.20E., M.D.B If point of diversion is not changed, do not answer. he W½ corner of Section 21, T.19N., R.20E. M.D.B.M.	
bears S. 08° 58' 27" W. a	distance of 6,479.44 feet.	
'. Proposed place of use Unchange		
Describe by	refer to Exhibit "A" y legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or	
manner of use of irrigation permit, describe acreage	to be removed from irrigation.	
	to December 31 of each year. Month and Day	
Use was permitted from January	to December 31 of each year. Month and Day Month and Day	
Description of proposed works. (Unc	der the provisions of NRS 535.010 you may be required to submit plans and	
specifications of your diversion or sto	orage works.) Existing drilled well, motor, pump and State manner in which water is to be diverted, i.e. diversion structure,	
Estimated time required to construct a	works 2 years	

consumptive use:	stock watering, state number and type of units to be served or annual
••••••	
	Bys/Jack D. Ferris Washoe County Utility Division
Compared bc/bc ab/se	P.O. Box 11130, Reno, NV 89520
Protested 9/1/92 by; Westpac Utiliti	es:
Pro. Overruled 2/8/93 = See Ruling #3934	
APPROV	JAL OF STATE ENGINEER
This is to certify that I have examined the following limitations and conditions:	e foregoing application, and do hereby grant the same, subject to the
other rights on the source will be shall be equipped with a 2-inch opmaintained in the discharge pipmeasurements must be kept of wat must be installed before any u completion of work is filed. If maintained to prevent waste. This state Engineer pursuant to NRS 534 use of the water herein granted at This permit does not extended to private or corporate lands.	d the permittee the right of ingress and egress on the does not waive the requirements that the permit
	,
The amount of water to be changed shall be lim	
	nited to the amount which can be applied to beneficial use, and not to
exceed	nited to the amount which can be applied to beneficial use, and not tocubic feet per second but not to exceed 275.79
exceed 2.0 acre-feet annually.	nited to the amount which can be applied to beneficial use, and not tocubic feet per second., but not to exceed 275.79
exceed 2.0 acre-feet annually. Work must be prosecuted with reasonable diliger	nited to the amount which can be applied to beneficial use, and not tocubic feet per second but not to exceed 275.79
exceed 2.0 acre-feet annually. Work must be prosecuted with reasonable diliger Proof of completion of work shall be filed before	nited to the amount which can be applied to beneficial use, and not tocubic feet per second., but not to exceed 275.79
exceed	nited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 275.79 nce and be completed on or before
exceed	nited to the amount which can be applied to beneficial use, and not to cubic feet per second., but not to exceed 275.79 nice and be completed on or before
exceed	nited to the amount which can be applied to beneficial use, and not to cubic feet per second_, but not to exceed 275.79
acre-feet annually. Work must be prosecuted with reasonable diliger Proof of completion of work shall be filed before Application of water to beneficial use shall be made of the application of water to beneficial use. Map in support of proof of beneficial use shall be	nited to the amount which can be applied to beneficial use, and not to cubic feet per second
exceed	nited to the amount which can be applied to beneficial use, and not tocubic feet per second., but not to exceed 275.79 nce and be completed on or before